# Sharp Imaging and Information Corporation of America Accessibility Conformance Report

**VPAT®** Version 2.2

#### Name of Product/Version:

MX-M3071, MX-M3571, MX-M4071, MX-M5071, MX-M6071, MX-M2651, MX-M3051, MX-M3551, MX-M4051, MX-M5051, MX-M6051

**Product Description: Monochrome Multifunction Document System** 

Date: August, 2019

Contact information: VPAT\_Support\_Team@sharpusa.com

**Notes: Covers MFP, Applications and Drivers** 

**Evaluation Methods Used: Hardware, Application and Driver Testing** 

**Applicable Standards/Guidelines: Section 508 standards** 

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0, at <a href="http://www.w3.org/TR/2008/REC-">http://www.w3.org/TR/2008/REC-</a>	Level A (Yes )
WCAG20-20081211/	Level AA (Yes )

<sup>&</sup>quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

	Level AAA (No )
Revised Section 508 standards as published by the U.S. Access Board in the Federal Register on January 18, 2017	(Yes)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, at <a href="http://mandate376.standards.eu/standard">http://mandate376.standards.eu/standard</a>	(No)

#### **Terms**

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

#### WCAG 2.0 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Chapter 10 Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 Non-Web Software (closed functionality).
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 602.3 Electronic Support Documentation.

# **Table 1: Success Criteria, Level A**

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A)  All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below - Controls, input - Time-based Media - Test - Sensory - CAPTCHA - Decoration, Formatting, Invisible	Partially Supports	
<ul> <li>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</li> <li>For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such:         <ul> <li>Prerecorded Audio-only: An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content.</li> <li>Prerecorded Video-only: Either an alternative for time-based media or an audio track is provided that presents equivalent information for prerecorded video-only content.</li> </ul> </li> </ul>	Not Applicable	Not Applicable
1.2.2 Captions (Prerecorded) (Level A)  Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	Not Applicable	Not Applicable
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	Not Applicable	Not Applicable
1.3.1 Info and Relationships (Level A)	Supports	Web: Switch large menu by tab, Sub menu display on the left side of the screen, etc.

Criteria	Conformance Level	Remarks and Explanations
Information, <u>structure</u> , and <u>relationships</u> conveyed through <u>presentation</u> can be <u>programmatically determined</u> or are available in text.		
1.3.2 Meaningful Sequence (Level A) When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.	Supports	The contents on System Settings/Web Settings is displayed as the meaningful sequence. Program can read them according to top of pages.
1.3.3 Sensory Characteristics (Level A) Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.	Partially Supports	The logout button has icons and text displayed in the button.  The shortcut icon is only an icon, and there is no text explanation.
1.4.1 Use of Color (Level A) Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	
1.4.2 Audio Control (Level A)  If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.	Not Applicable	There are no audio contents for more than 3 seconds on Web Settings.
<b>2.1.1 Keyboard</b> (Level A) All <u>functionality</u> of the content is operable through a <u>keyboard interface</u> without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.	Supports	
2.1.2 No Keyboard Trap (Level A)  If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.	Supports	Item movement by Tab button is possible.
<ul> <li>2.2.1 Timing Adjustable (Level A)</li> <li>For each time limit that is set by the content, at least one of the following is true:</li> <li>Turn off: The user is allowed to turn off the time limit before encountering it; or</li> </ul>	Partially Supports	It is possible to change the amount of time up to 240 minutes before US session timeout of device web page.

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or</li> <li>Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times; or</li> <li>Real-time Exception: The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible; or</li> <li>Essential Exception: The time limit is essential and extending it would invalidate the activity; or</li> <li>20 Hour Exception: The time limit is longer than 20 hours.</li> </ul>		
<ul> <li>2.2.2 Pause, Stop, Hide (Level A)</li> <li>For moving, blinking, scrolling, or auto-updating information, all of the following are true:</li> <li>Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and</li> <li>Auto-updating: For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.</li> </ul>	Supports	
<b>2.3.1 Three Flashes or Below Threshold</b> (Level A) Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.	Supports	Web Settings do not contain anything that flashes more than three times in any one second period.
2.4.1 Bypass Blocks (Level A) A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.	Supports	

Criteria	Conformance Level	Remarks and Explanations
2.4.2 Page Titled (Level A)  Web pages have titles that describe topic or purpose.	Supports	Web Settings do contain the titles of each pages.
2.4.3 Focus Order (Level A)  If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.	Supports	The contents on Web Settings are ordered according to meanings or operation for both screen reader and keyboard operation.
2.4.4 Link Purpose (In Context) (Level A) The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.	Supports	All links can be determined from text alone or alternative text contents.
3.1.1 Language of Page (Level A) The default <u>human language</u> of each <u>Web page</u> can be <u>programmatically determined</u> .	Supports	The language can be changed via a pull-down menu on the main page
3.2.1 On Focus (Level A) When any component receives focus, it does not initiate a change of context.	Supports	The context of any components are not changed when they receive focus
3.2.2 On Input (Level A)  Changing the setting of any <u>user interface component</u> does not automatically cause a <u>change of context</u> unless the user has been advised of the behavior before using the component.	Partially Supports	On some pages of Web setting, there are pages to be added to the menu due to setting change.
3.3.1 Error Identification (Level A)  If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.	Supports	On the web setting registration screen, if there is an error in the required field, the cause of the error is notified by a text message.
3.3.2 Labels or Instructions (Level A) <u>Labels</u> or instructions are provided when content requires user input.	Supports	There are explanations, such as 64 half-width characters.
4.1.1 Parsing (Level A) In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.	Supports	
<b>4.1.2 Name, Role, Value</b> (Level A)  For all <u>user interface components</u> (including but not limited to: form elements, links and components generated by scripts), the <u>name</u> and <u>role</u> can be <u>programmatically determined</u> ; states, properties, and values that	Supports	

Criteria	Conformance Level	Remarks and Explanations
can be set by the user can be programmatically set; and notification of		
changes to these items is available to <u>user agents</u> , including <u>assistive</u>		
technologies.		

# **Table 2: Success Criteria, Level AA**

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)  Captions are provided for all live audio content in synchronized media.	Not Applicable	Not Applicable
1.2.5 Audio Description (Prerecorded) (Level AA)  Audio description is provided for all prerecorded video content in synchronized media.	Not Applicable	Not Applicable
<ul> <li>1.4.3 Contrast (Minimum) (Level AA)</li> <li>The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:</li> <li>Large Text: Large-scale text and images of large-scale text have a contrast ratio of at least 3:1;</li> <li>Incidental: Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement.</li> <li>Logotypes: Text that is part of a logo or brand name has no minimum contrast requirement.</li> </ul>	Supports	
1.4.4 Resize text (Level AA)  Except for <u>captions</u> and <u>images of text</u> , <u>text</u> can be resized without <u>assistive technology</u> up to 200 percent without loss of content or functionality.	Supports	Web : Possible by browser function.
1.4.5 Images of Text (Level AA) If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following:	Supports	The Device Web does not use any images of text.

Criteria	Conformance Level	Remarks and Explanations
Customizable: The image of text can be visually customized to the		
user's requirements;		
• Essential: A particular presentation of text is essential to the		
information being conveyed.		
2.4.5 Multiple Ways (Level AA)		Various and assemble from this as is a superior and an Desire Male
More than one way is available to locate a Web page within a set of Web	Supports	Keyword search function is supported on Device Web
pages except where the Web Page is the result of, or a step in, a process.		page.
2.4.6 Headings and Labels (Level AA)	C	
Headings and <u>labels</u> describe topic or purpose.	Supports	
2.4.7 Focus Visible (Level AA)		
Any keyboard operable user interface has a mode of operation where the	Supports	
keyboard focus indicator is visible.		
3.1.2 Language of Parts (Level AA)		
The <u>human language</u> of each passage or phrase in the content can be		
programmatically determined except for proper names, technical terms,	Supports	
words of indeterminate language, and words or phrases that have		
become part of the vernacular of the immediately surrounding text.		
3.2.3 Consistent Navigation (Level AA)		
Navigational mechanisms that are repeated on multiple Web pages	Cupports	
within a set of Web pages occur in the same relative order each time	Supports	
they are repeated, unless a change is initiated by the user.		
3.2.4 Consistent Identification (Level AA)		
Components that have the <u>same functionality</u> within a set of <u>Web pages</u>	Supports	
are identified consistently.		
3.3.3 Error Suggestion (Level AA)		In Device Web Page, suggestions for the correction of
If an <u>input error</u> is automatically detected and suggestions for correction	Partially Supports	errors are not offered for every error, but they are
are known, then the suggestions are provided to the user, unless it would	Partially Supports	offered in many cases.
jeopardize the security or purpose of the content.		offered in finding cases.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)		
For Web pages that cause legal commitments or financial transactions for		
the user to occur, that modify or delete user-controllable data in data	Not Applicable	The Device Web page does not send any information to outside sites.
storage systems, or that submit user test responses, at least one of the		
following is true:		
1. Reversible: Submissions are reversible.		

Criteria	Conformance Level	Remarks and Explanations
2. <b>Checked</b> : Data entered by the user is checked for input errors and the		
user is provided an opportunity to correct them.		
3. <b>Confirmed</b> : A mechanism is available for reviewing, confirming, and		
correcting information before finalizing the submission.		

# Table 3: Success Criteria, Level AAA

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA)		
Sign language interpretation is provided for all prerecorded audio	Not Applicable	Not Applicable
content in synchronized media.		
1.2.7 Extended Audio Description (Prerecorded) (Level AAA)		
Where pauses in foreground audio are insufficient to allow <u>audio</u>		
descriptions to convey the sense of the video, extended audio	Not Applicable	Not Applicable
<u>description</u> is provided for all <u>prerecorded</u> <u>video</u> content in <u>synchronized</u>		
<u>media</u> .		
1.2.8 Media Alternative (Prerecorded) (Level AAA)		
An <u>alternative for time-based media</u> is provided for all <u>prerecorded</u>	Not Applicable	Not Applicable
synchronized media and for all prerecorded video-only media.		
1.2.9 Audio-only (Live) (Level AAA)		
An <u>alternative for time-based media</u> that presents equivalent information	Not Applicable	Not Applicable
for <u>live</u> <u>audio-only</u> content is provided.		
1.4.6 Contrast Enhanced (Level AAA)		
The visual presentation of text and images of text has a contrast ratio of		
at least 7:1, except for the following:		
• Large Text: Large-scale text and images of large-scale text have a		
contrast ratio of at least 4.5:1;	Supports	
• Incidental: Text or images of text that are part of an inactive user		
interface component, that are pure decoration, that are not visible to		
anyone, or that are part of a picture that contains significant other visual		
content, have no contrast requirement.		

Criteria	Conformance Level	Remarks and Explanations
• Logotypes: Text that is part of a logo or brand name has no minimum contrast requirement.		
1.4.7 Low or No Background Audio (Level AAA)  For prerecorded audio-only content that (1) contains primarily speech in the foreground, (2) is not an audio CAPTCHA or audio logo, and (3) is not vocalization intended to be primarily musical expression such as singing or rapping, at least one of the following is true:  •No Background: The audio does not contain background sounds.  •Turn Off: The background sounds can be turned off.  •20 dB: The background sounds are at least 20 decibels lower than the foreground speech content, with the exception of occasional sounds that last for only one or two seconds.	Supports	
1.4.8 Visual Presentation (Level AAA)  For the visual presentation of blocks of text, a mechanism is available to achieve the following:  1. Foreground and background colors can be selected by the user.  2. Width is no more than 80 characters or glyphs (40 if CJK).  3. Text is not justified (aligned to both the left and the right margins).  4. Line spacing (leading) is at least space-and-a-half within paragraphs, and paragraph spacing is at least 1.5 times larger than the line spacing.  5. Text can be resized without assistive technology up to 200 percent in a way that does not require the user to scroll horizontally to read a line of text on a full-screen window.	Partially Supports	
1.4.9 Images of Text (No Exception) Control (Level AAA) Images of text are only used for pure decoration or where a particular presentation of text is essential to the information being conveyed.	Does Not Support	
<b>2.1.3 Keyboard (No Exception)</b> (Level AAA) All <u>functionality</u> of the content is operable through a <u>keyboard interface</u> without requiring specific timings for individual keystrokes.	Supports	In the device web page, basically all contents can be operated with keyboard.
<b>2.2.3 No Timing</b> (Level AAA)  Timing is not an <u>essential</u> part of the event or activity presented by the content, except for non-interactive <u>synchronized media</u> and <u>real-time</u> <u>events</u> .	Does Not Support	There is a time limit for an authenticated session.

Criteria	Conformance Level	Remarks and Explanations
2.2.4 Interruptions (Level AAA) Interruptions can be postponed or suppressed by the user, except	Does Not Support	At the time of reboot or power failure, the session is
interruptions involving an <u>emergency</u> .	Does Not Support	disconnected regardless of the login status of the user.
2.2.5 Re-authenticating (Level AAA)		
When an authenticated session expires, the user can continue the activity without loss of data after re-authenticating.	Does Not Support	After re-authentication, the data being edited is lost.
2.3.2 Three Flashes (Level AAA)		
Web pages do not contain anything that <u>flashes</u> more than three times in any one second period.	Supports	There are no UI components in Device Web Page.
2.4.8 Location (Level AAA) Information about the user's location within a set of Web pages is	Supports	Site map is supported in order to browse the structure
available.		of Device Web page.
2.4.9 Link Purpose (Link Only) (Level AAA)		The link is prepared for moving to each setting page of
A <u>mechanism</u> is available to allow the purpose of each link to be	Supports	device web page, and its purpose can be easily judged
identified from link text alone, except where the purpose of the link would be ambiguous to users in general.		from the text of the link.
2.4.10 Section Headings (Level AAA)		The device web page has a hierarchical structure, and
Section headings are used to organize the content.	Supports	section headings are prepared in each page.
3.1.3 Unusual Words (Level AAA)		In the device web page,
A <u>mechanism</u> is available for identifying specific definitions of words or	Supports	If unclear settings are found, user can confirm by user
phrases <u>used in an unusual or restricted way</u> , including <u>idioms</u> and <u>jargon</u> .		manual uploaded on this web page.
3.1.4 Abbreviations (Level AAA)		In the device web page, basically, abbreviations is not
A <u>mechanism</u> for identifying the expanded form or meaning of	Supports	used. If unclear settings is found, user can confirm by
<u>abbreviations</u> is available.		user manual uploaded on this web page.
3.1.5 Reading Level (Level AAA)		
When text requires reading ability more advanced than the <u>lower</u>		
secondary education level after removal of proper names and titles,	Supports	
supplemental content, or a version that does not require reading ability		
more advanced than the lower secondary education level, is available.		
3.1.6 Pronunciation (Level AAA)  A mechanism is available for identifying specific pronunciation of words		
where meaning of the words, in context, is ambiguous without knowing	Does Not Support	
the pronunciation.		

Criteria	Conformance Level	Remarks and Explanations
3.2.5 Change on Request (Level AAA)  Changes of context are initiated only by user request or a mechanism is available to turn off such changes.	ILLOGE NOT SUPPORT	At the time of reboot or power failure, the session is disconnected regardless of the login status of the user.
3.3.5 Help (Level AAA) <u>Context-sensitive help</u> is available.	Sunnorts	In the device web page, user manual is uploaded on this page. User can use it.

# 2017 Section 508 Report

Notes:

#### **Chapter 3: Functional Performance Criteria (FPC)**

Criteria	Conformance Level	Remarks and Explanations
		*[For Operation Panel]  (1) When input is determined or invalid,
302.1 Without Vision  Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that does not require user vision.	Partially Supports	operation status is confirmed by a beeping sound. For operation of copy settings such as ratio or copy density, a special beeping sound at the center point such as 100% is
		provided to make it easier for people who are blind or visually impaired to find this value.

*[For Input through Key and Touch Panel
(2) The time it takes for the unit to
recognize touch can be adjusted up to two
seconds.
3636/145/
*[For Draft setting on Platen]
(3) Setting documents on the tray can be
done even without relying on vision
because setting portion has a stopper.
*[For Paper Setting]
[1011 aper secting]
(4) The tray operation can be recognized
by touch, and this enables end-users to
open and close tray and set paper with
one hand.
(E) M/how it along the week are group it
(5) When it closes, the user can grasp it with the sense of touch or the sense of
hearing.
(6) People who are blind or visually
impaired can adjust machine settings with
a PC through the webpage. The webpage
can be read out loud by software on the
PC.
*[For Automobile Decomposet Foodse]
*[For Automatic Document Feeder]
(7) Setting documents in the document
feeder can be done without relying on

vision because the document feeder has
stopper guides.
Vision is not required for a user to set
documents in the document feeder.
*[For Appearance]
(8) Operation area for door, etc., can be
recognized by touch.
*[For System Operation]
(9) When a user presses an unauthorized
key, a beeping sound should go off to
prevent unintentional operation.
*[For Main Power Switch]
(10) Power On/Off status can be
recognized by touch.
(11) Power switch can be recognized by
touch.
(12) The power switch is located away
from other keys so as not to be pressed
mistakenly.
*[For Fax] (Option)

		(13) Provide users alternative measures other than vision to know such as sound when the fax receives messages.
		*[For Touch Panel]
		(14) Adjusting the time for key recognition is possible.
		(15) It is not necessary to use the touch panel for adjusting the machine. This can be accomplished through the webpage or with remote front panel.
		*[For System Operation Function]
		(16) Recovering from Auto Power shutoff mode can be done smoothly without relying on vision.
		*[For Operation Panel]
302.2 With Limited Vision  Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited vision.	Supports	(1) Font size may be expanded by utilizing the Enlarge Display Mode, and Icon button size on the Home Screen can be expanded by customizing the Home Screen.
	· ·	(2) Color type of the screen can be chosen; there is a universal-design type.
		(3) The color of the Output tray is dark gray for increased contrast between paper

	and tray. This makes it easier to find papers on the tray.
	(4) The Color of Original guides on the Document feeder tray are dark gray. This increases the contrast between the original and the guides making adjusting the guides easier.
	(5) A Hard Keyboard (Standard on select models) is also available in addition to the soft keyboard within the touch panel. This assists in more accurate input of text (inputting e-mail addresses, for example)
302.3 Without Perception of Color  Where a visual mode of operation is provided, ICT shall provide at least one visual mode of operation that does not require user perception of color.	*[For Operation Panel]  (1) Font size may be expanded by utilizing the Enlarge Display Mode, and Icon button size on the Home Screen can be expanded by customizing the Home Screen.  (2) Color type of the screen can be chosen; there is a universal-design type.

		original and the guides making adjusting the guides easier.
		(5) A Hard Keyboard (Standard on select models) is also available in addition to the soft keyboard within the touch panel. This assists in more accurate input of text (inputting e-mail addresses, for example).
302.4 Without Hearing		
Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that does not require user hearing.	Not Applicable	No operations require hearing
302.5 With Limited Hearing		
Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited hearing.	Not Applicable	No audio information will be provided
302.6 Without Speech		
Where speech is used for input, control, or operation, ICT shall provide at least one mode of operation that does not require user speech.	Not Applicable	No Functions Require Speech
302.7 With Limited Manipulation  Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that does not require fine motor control or simultaneous manual operations.	Supports	The UI for this product does not require complex manipulation or simultaneous button presses/gestures.
		*[For Automatic Document Feeder]
302.8 With Limited Reach and Strength  Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that is operable with limited reach and limited strength.	Supports	(1) Allows end-users to close it with one hand easily from the maximum open/close angle.

		(2) Door etc. can be opened/closed with one hand.
		(3) When end-user presses unauthorized key, a beeping sound should go off to prevent unintentional operation.
		(4) Adjusting the time for key reception is possible.
		*[For Whole System]
		(5) All operations can be done with one hand and do not require tight grasping, or twisting of the wrist.
		(6) The paper tray can be easily opened/closed with a universal handle.
		[For Operation Panel]
		(7) Operation panel can be tilted freely.
		[For Program Mode]
		(8)When performing routine work, a user can set a Program which includes all the functions necessary to perform that job.
802.9 With Limited Language, Cognitive, and Learning Abilities		Paper and PDF
CT shall provide features making its use by individuals with limited cognitive, language, and learning abilities simpler and easier.	Supports	Compatible telephone support

Online (HTML, PDF), Supports Screen
Readers
Additionally, MY Sharp which provides
text, sound, and images

#### **Chapter 4: Hardware**

Criteria	Conformance Level	Remarks and Explanations
402 Closed Functionality	Heading cell – no response required	Heading cell – no response required
402.1 General	Heading cell – no response required	Heading cell – no response required
402.2 Speech-Output Enabled	Heading cell – no response required	Heading cell – no response required
402.2.1 Information Displayed On-Screen  Speech output shall be provided for all information displayed on-screen.	Not Applicable	
402.2.2 Transactional Outputs  Where transactional outputs are provided, the speech output shall audibly provide all information necessary to verify a transaction.	Not Applicable	
<ul> <li>402.2.3 Speech Delivery Type and Coordination</li> <li>(a) Speech output shall be delivered through a mechanism that is readily available to all users, including, but not limited to, an industry standard connector or a telephone handset. Speech shall be recorded or digitized human, or synthesized. Speech output shall be coordinated with information displayed on the screen.</li> </ul>	Partially Supports	Current Technology provides no equivalent to touch-screen display panels. However, note the following:  [For Whole System]  (1) Provided end-users with remote operation function to execute their regular jobs from their computers.  (2) Frequency of over 2.5KHz isn't used when there is a beeping sound.

Criteria	Conformance Level	Remarks and Explanations
		[For Operation Panel]
		(3) Provides measures to emit a beeping sound from the base point for the operations requiring end-users to switch plural options (including set values and setting modes) in a routine rotation.
402.2.4 User Control		
Speech output for any single function shall be automatically interrupted when a transaction is selected. Speech output shall be capable of being repeated and paused.	Not Applicable	
402.2.5 Braille Instructions		
Where speech output is required by 402.2, braille instructions for initiating the speech mode of operation shall be provided. Braille shall be contracted and shall conform to 36 CFR part 1191, Appendix D, Section 703.3.1.	Not Applicable	
402.3 Volume	Heading cell – no response required	Heading cell – no response required
Where ICT provides private listening, it shall provide a mode of operation for controlling the volume. Where ICT delivers output by an audio transducer typically held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Not Applicable	
402.3.2 Non-private Listening		
Where ICT provides non-private listening, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. A function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	
402.4 Characters on Display Screens		Sharpdesk software doesn't have the
At least one mode of characters displayed on the screen shall be in a sans serif font. Where ICT does not provide a screen enlargement feature, characters shall be 3/16 inch (4.8 mm) high minimum based on the uppercase letter "I". Characters shall contrast with their background with either light characters on a dark background or dark characters on a light background.		ability to adjust color and contrast settings.  The printer driver doesn't have the ability to adjust color and contrast settings.  Printer Status Monitor doesn't have the

Criteria	Conformance Level	Remarks and Explanations
		ability to adjust color and contrast settings.
		In the operation panel of the unit, users can select from a variety of color schemes.
402.5 Characters on Variable Message Signs		
Characters on variable message signs shall conform to section 703.7 Variable Message Signs of ICC A117.1-2009 (incorporated by reference, see 702.6.1).	Not Applicable	No characters on variable message signs
404 Preservation of Information Provided for Accessibility	Heading cell – no response required	Heading cell – no response required
404.1 General  ICT that transmits or converts information or communication shall not remove non-proprietary information provided for accessibility or shall restore it upon delivery.	Supports	Non-proprietary information provided for accessibility during the transmission of information or the import/export of settings is not removed by this product.
405 Privacy	Heading cell – no response required	Heading cell – no response required
405.1 General  The same degree of privacy of input and output shall be provided to all individuals. When speech output required by 402.2 is enabled, the screen shall not blank automatically.	Supports	The necessary information for the operation is all displayed on the operation panel.
406 Standard Connections	Heading cell – no response required	Heading cell – no response required
406.1 General  Where data connections used for input and output are provided, at least one of each type of connection shall conform to industry standard non-proprietary formats.	Supports	This product provides a connection method that conforms to a non-proprietary industry standard.
407 Operable Parts	Heading cell – no response required	Heading cell – no response required
407.2 Contrast  Where provided, keys and controls shall contrast visually from background surfaces. Characters and symbols shall contrast visually from background surfaces with either light characters or symbols on a dark background or dark characters or symbols on a light background.	Supports	There is considerable contrast between characters, symbols, and the backgrounds used by keys and other controls.
407.3 Input Controls	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
		[For Operation Panel]
		(1) Major keys are recognized not only with vision but also with touch.
407.3.1 Tactilely Discernible  Input controls shall be operable by touch and tactilely discernible without activation.	Supports	(2) Frequently used keys are aligned to be recognized easily, have different shapes and colors, so as to be distinguished easier.
		[For Input through key]
		(3)The upper sides of the buttons are concave.
407.3.2 Alphabetic Keys Where provided, individual alphabetic keys shall be arranged in a QWERTY-based keyboard layout and the "F" and "J" keys shall be tactilely distinct from the other keys.	Partially Supports	Retractable qwerty keyboard is standard on Advanced Series models. This is not available on the Essential Series models.
407.3.3 Numeric Keys		
Where provided, numeric keys shall be arranged in a 12-key ascending or descending keypad layout. The number five key shall be tactilely distinct from the other keys. Where the ICT provides an alphabetic overlay on numeric keys, the relationships between letters and digits shall conform to ITU-T Recommendation E.161 (incorporated by reference, see 702.7.1).	Partially Supports	Optional braille overlay is available, which provides tactile #5 key for basic copy function.
		*[For Input through key, touch panel]
407.4 Key Repeat  Where a keyboard with key repeat is provided, the delay before the key repeat feature is activated shall be fixed at, or adjustable to, 2 seconds	Supports	(1) The key repeat function delay timing can be adjusted or this function is may be deactivated.
minimum.		(2) Key repeat function can adjust the repeat start time (t1) up to 2 seconds or disable it.

Criteria	Conformance Level	Remarks and Explanations
407.5 Timed Response  Where a timed response is required, the user shall be alerted visually, as well as by touch or sound, and shall be given the opportunity to indicate that more time is needed.	Partially Supports	[For System Operation Function]  Although there is no notice to end-users of a timeout, there is a setting to adjust the timeout length so end-users have enough time to complete their task prior to the timeout. Alternately, the timeout function can be stopped if necessary. The amount of time a message is displayed can be adjusted so the user has sufficient time to read the message.
407.6 Operation  At least one mode of operation shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5 pounds (22.2 N) maximum.	Partially Supports	The basic operation of the device supports this. It can not be applied for maintenance and setup.
407.7 Tickets, Fare Cards, and Keycards  Where tickets, fare cards, or keycards are provided, they shall have an orientation that is tactilely discernible if orientation is important to further use of the ticket, fare card, or keycard.	Not Applicable	
407.8 Reach Height and Depth	Heading cell – no response required	Heading cell – no response required
<ul> <li>(j)Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following:</li> <li>(1) The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inchength (see Figure 1 of this part)</li> </ul>		Applicable

Criteria	Conformance Level	Remarks and Explanations
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.		
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.		
(j)(4) Products which are freestanding, non-portable, and intended to be		
used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind		
the reference plane.		
407.8.1.1 Vertical Plane for Side Reach		
Where a side reach is provided, the vertical reference plane shall be 48 inches (1220 mm) long minimum.	Supports	
407.8.1.2 Vertical Plane for Forward Reach		
Where a forward reach is provided, the vertical reference plane shall be 30 inches (760 mm) long minimum.	Supports	
407.8.2 Side Reach  Operable parts of ICT providing a side reach shall conform to 407.8.2.1 or 407.8.2.2. The vertical reference plane shall be centered on the operable part and placed at the leading edge of the maximum protrusion of the ICT within the length of the vertical reference plane. Where a side reach requires a reach over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum.	Partially Supports	The height of the reader platen does not support the criteria when in the open position. It is within the range of numerical value when only machine without option or optional one step desk is installed. Also, the document feeder has a hole to attach a string to pull to close.
407.8.2.1 Unobstructed Side Reach  Where the operable part is located 10 inches (255 mm) or less beyond the vertical reference plane, the operable part shall be 48 inches (1220)	Supports	It is within the range of numerical value when only machine without option or optional one step desk is installed. Also,

Criteria	Conformance Level	Remarks and Explanations
mm) high maximum and 15 inches (380 mm) high minimum above the		the document feeder has a hole to attach
floor.		a string to pull to close.
407.0.2.2.0h.ststd.Ci.d.s. Doz.a.b		The height of the reader platen does not
407.8.2.2 Obstructed Side Reach		support the criteria when in the open
Where the operable part is located more than 10 inches (255 mm), but		position.
not more than 24 inches (610 mm), beyond the vertical reference	Partially Supports	It is within the range of numerical value
plane, the height of the operable part shall be 46 inches (1170 mm)		when only machine without option or
high maximum and 15 inches (380 mm) high minimum above the floor. The operable part shall not be located more than 24 inches (610 mm)		optional one step desk is installed. Also,
beyond the vertical reference plane.		the document feeder has a hole to attach
		a string to pull to close.
407.8.3 Forward Reach		
Operable parts of ICT providing a forward reach shall conform to 407.8.3.1 or 407.8.3.2. The vertical reference plane shall be centered,	Not Applicable	
and intersect with, the operable part. Where a forward reach allows a		
reach over a portion of the ICT, the height of that portion of the ICT		
shall be 34 inches (865 mm) maximum.		
407.8.3.1 Unobstructed Forward Reach		
Where the operable part is located at the leading edge of the maximum		
protrusion within the length of the vertical reference plane of the ICT,	Not Applicable	
the operable part shall be 48 inches (1220 mm) high maximum and 15		
inches (380 mm) high minimum above the floor.		
407.8.3.2 Obstructed Forward Reach		
When the consults went is been discussed the leading advector the		
Where the operable part is located beyond the leading edge of the maximum protrusion within the length of the vertical reference plane,	Not Applicable	
the operable part shall conform to 407.8.3.2. The maximum allowable		
forward reach to an operable part shall be 25 inches (635 mm).		
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach		
The height of the operable part shall conform to Table 407.8.3.2.1.		
Table 407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach	Not Applicable	
Operable Part		
Reach Depth Height		
псівіц		

	Criteria		Conformance Level	Remarks and Explanations
Less than 20 inches (510 mm)	48 inches (1220 mm) maximum			
20 inches (510 mm) to 25 inches (635 mm)	44 inches (1120 mm) maximum			
Reach  Knee and toe space under ICT	shall be 27 inches (685 mm) hig deep maximum, and 30 inches be clear of obstructions.	gh	Not Applicable	
408 Display Screens		ŀ	Heading cell – no response required	Heading cell – no response required
of each type of display screen s	one or more display screens, at shall be visible from a point locat oor space where the display scre	ated 40	Supports	
flashes in any one-second period EXCEPTION: Flashes that do no	ot exceed the general flash and r O (incorporated by reference, see	red flash	Supports	Sharpdesk software doesn't flash or blink text contents. The printer driver is not designed to flash or blink. Printer Status Monitor is not designed to flash or blink. The operation panel of the unit is not designed to flash or blink.
409 Status Indicators		ŀ	Heading cell – no response required	Heading cell – no response required
409.1 General  Where provided, status indicate touch or sound.	ors shall be discernible visually a	and by	Supports	Status indicators, including all locking or toggle controls or keys (e.g., Caps Lock and Num Lock keys), shall be discernible visually and by touch or sound.

# **Chapter 5: Software**

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.0 section	See information in WCAG section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features  Platform software shall provide user control over platform features that are defined in the platform documentation as accessibility features.	Supports	
502.2.2 No Disruption of Accessibility Features		Sharpdesk software runs on Microsoft® OS and utilities.
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Supports	Printer Driver is not designed to disrupt or disable other functions by design. Printer Status Monitor is not designed to disrupt or disable other functions by design.  The operation panel of unit is not designed to disrupt or disable other functions by design.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information (d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Partially Supports	When Sharpdesk software displays image data, text describing the image is also displayed (for example thumbnails are labeled with the name of each file in Desktop).  Regarding the printer driver, the information conveyed by images can be available in text. However, the information

Criteria	Conformance Level	Remarks and Explanations
		conveyed by the image of the MFP cannot be available in text.
		Regarding Printer Status Monitor, the information conveyed by the image can be available in text.  Some icons are explained by the Help Menu.
502.3.2 Modification of Object Information		
States and properties that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Supports	
502.3.3 Row, Column, and Headers		
If an object is in a data table, the occupied rows and columns, and any headers associated with those rows or columns, shall be programmatically determinable.	Does Not Support	
502.3.4 Values		
Any current value(s), and any set or range of allowable values associated with an object, shall be programmatically determinable.	Supports	
502.3.5 Modification of Values		
Values that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Supports	
		If an icon, an indicator and an element have the same image each of them has the same meaning in Sharpdesk software.
502.3.6 Label Relationships		
(e) When bitmap images are used to identify controls, status indicators,	Supports	If an icon, an indicator and an element have the same image each of them has the
or other programmatic elements, the meaning assigned to those images		same meaning in the printer driver.
shall be consistent throughout an application's performance.		If an icon, an indicator and an element have the same image each of them has the same meaning in Printer Status Monitor.

Criteria	Conformance Level	Remarks and Explanations
		If an icon, an indicator and an element have the same image each of them has the same meaning in Operation Panel of Unit.
502.3.7 Hierarchical Relationships		
Any hierarchical (parent-child) relationship that a component has as a container for, or being contained by, another component shall be programmatically determinable.	Partially Supports	
502.3.8 Text		Sharpdesk software displays text contents using functions of the OS.
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Supports	The printer driver displays text contents using functions of the OS.  Printer Status Monitor displays text contents using functions of the OS.
502.3.9 Modification of Text		
Text that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Supports	
502.3.10 List of Actions		
A list of all actions that can be executed on an object shall be programmatically determinable.	Supports	
502.3.11 Actions on Objects		
Applications shall allow assistive technology to programmatically execute available actions on objects.	Not Applicable	
502.3.12 Focus Cursor  (c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input	Partially Supports	Regarding Sharpdesk software, if the focus changes, the target will change in some ways. For example, the frame color will change if a thumbnail is focused. The text will be bold if focused.
focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.		Regarding the printer driver, if the focus changes, the target will change in some

Criteria	Conformance Level	Remarks and Explanations
		ways. For example, the frame line will change if an icon button is focused.
		Regarding Printer Status Monitor, if the focus changes, the target will not change.
502.3.13 Modification of Focus Cursor		
Focus, text insertion point, and selection attributes that can be set by the user shall be capable of being set programmatically, including through the use of assistive technology.	Does Not Support	
502.3.14 Event Notification  Notification of events relevant to user interactions, including but not limited to, changes in the component's state(s), value, name, description, or boundary, shall be available to assistive technology.	Partially Supports	Visual notifications are available through the touch screen
Platforms and platform software shall conform to the requirements in ANSI/HFES 200.2, Human Factors Engineering of Software User Interfaces — Part 2: Accessibility (2008) (incorporated by reference, see 702.4.1) listed below:  A. Section 9.3.3 Enable sequential entry of multiple (chorded) keystrokes;  B. Section 9.3.4 Provide adjustment of delay before key acceptance;  C. Section 9.3.5 Provide adjustment of same-key double-strike acceptance;  D. Section 10.6.7 Allow users to choose visual alternative for audio output;  E. Section 10.6.8 Synchronize audio equivalents for visual events;  F. Section 10.6.9 Provide speech output services; and  G. Section 10.7.1 Display any captions provided.		
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences  Applications shall permit user preferences from platform settings for color, contrast, font type, font size, and focus cursor.	Partially Supports	Changing font color (white / black) on the control panel, change font size

Criteria	Conformance Level	Remarks and Explanations
503.3 Alternative User Interfaces  Where an application provides an alternative user interface that functions as assistive technology, the application shall use platform and other industry standard accessibility services.	Partially Supports	
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls  Where user controls are provided for volume adjustment, ICT shall provide user controls for the selection of captions at the same menu level as the user controls for volume or program selection.	Not Applicable	Not Applicable
503.4.2 Audio Description Controls  Where user controls are provided for program selection, ICT shall provide user controls for the selection of audio descriptions at the same menu level as the user controls for volume or program selection.	Not Applicable	Not Applicable
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")  Authoring tools shall provide a mode of operation to create or edit content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for all supported features and, as applicable, to file formats supported by the authoring tool. Authoring tools shall permit authors the option of overriding information required for accessibility.	See <u>WCAG 2.0</u> section	See information in WCAG section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion  Authoring tools shall, when converting content from one format to another or saving content in multiple formats, preserve the information required for accessibility to the extent that the information is supported by the destination format.	Supports	Non-proprietary information provided for accessibility during the transmission of information or the import/export of settings is not removed by this product.
504.2.2 PDF Export  Authoring tools capable of exporting PDF files that conform to ISO 32000-1:2008 (PDF 1.7) shall also be capable of exporting PDF files that conform to ANSI/AIIM/ISO 14289-1:2016 (PDF/UA-1) (incorporated by reference, see 702.3.1).	Not Applicable	Not Applicable

le Not Applicable
le Not Applicable

# **Chapter 6: Support Documentation and Services**

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features  Documentation shall list and explain how to use the accessibility and compatibility features required by Chapters 4 and 5. Documentation shall include accessibility features that are built-in and accessibility features that provide compatibility with assistive technology.	Supports	Documentation provided shall explain how to use the accessibility and compatibility features required by chapters 4 and 5.
602.3 Electronic Support Documentation  Documentation in electronic format, including Web-based self-service support, shall conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1).	See <u>WCAG 2.0</u> section	See information in WCAG section
602.4 Alternate Formats for Non-Electronic Support Documentation  Where support documentation is only provided in non-electronic formats, alternate formats usable by individuals with disabilities shall be provided upon request.	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features		
b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Partially Supports	HTML
		Paper and PDF
603.3 Accommodation of Communication Needs	Supports	Compatible telephone support
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports	Online (HTML, PDF), Supports Screen Readers
		Additionally, MY Sharp which provides text, sound, and images

#### **Legal Disclaimer (Company)**

Copyright © 2019 Sharp Electronics Corporation. All rights reserved.

This document is provided for information purposes only and the contents are subject to change without notice. This document and its contents are believed to be accurate, but are delivered without warranties of any kind, express or implied, including without limitation, warranties of merchantability or fitness for a particular purpose. Sharp Electronics Corporation specifically disclaims any liability with respect to this document and shall not be liable for any losses or damages of any kind that may result from the use of this document or the information contained herein.